

Index

© Springer Science+Business Media B.V. 2011

A

above-the-looptop sources, 159, 358
 identification with acceleration region,
 242, 431

absorption

 Earth's atmosphere, 269
 mm waves, 249
 photoelectric, 310
 solar atmosphere
 Co $K\alpha$, 200

abundances, 77, 287, 364

^3He , 184

 and γ -ray production, 174

 and γ -ray spectra, 181

 and acceleration of heavy ions, 364

 and Compton scattering, 310

 and FIP effect, 183

 and helioseismology, 183

 and model atmospheres, 181

 assumptions in γ -ray analysis, 195

 bremsstrahlung efficiency, 112

 CMEs, 439

 coronal, 77

 evaporation, 158

 Fe/H, 78, 81

γ -ray constraints, 181

 Ne/O ratio, 190, 364

 and warm target, 197

 SEPs, 439

accelerated particles

 abundances, 202

 adiabatic invariants, 233

 correlation of ions and relativistic
 electrons, 198

 illustration, 198

 diagnostics, 8

 electron-to-proton ratio, 197, 199, 439

 energy content of, 5, 194, 440

 caveat, 197

 reduction in warm medium, 197

 energy content, ions vs. electrons, 197

 energy spectra, 379, 397, 406, 413

 3-D reconnection, 392

 energy-dependent index, 360

 spectral index, 390

 heavy ions, 202, 364

 importance of, 4

 in quiet Sun, 210

 ion primary spectrum, 189

 low energies, 5

 low-energy cutoff, 424

 low-energy protons, 201

 number problem, 4, 6, 414

 pitch-angle distribution

 ions, 173

 transport, 412

acceleration, 76

 Alfvén waves, 380

 and CME acceleration, 74

 and large-scale processes, 122

- 51 and magnetic reconnection, 369
52 and mean flux spectrum, 317
53 and neutron production, 168
54 and particle transport, overview, 412
55 3-D reconnection, 414
56 collapsing traps, 413
57 current sheets, 413
58 electric circuit, 412
59 magnetic islands, 414
60 radiative transport, 412
61 return current, 412
62 self-organized criticality, 414
63 stochastic acceleration, 412
64 transit-time damping, 413
65 turbulence, 412
66 and pitch-angle change, 384
67 betatron, 378, 383
68 bulk energization, 441
69 by flares, 433
70 cellular automaton model, 396
71 chromospheric, 428
72 collapsing magnetic trap, 383, 413
73 conditions for runaway, 368
74 DC electric field, 120, 148
75 delayed, 439
76 diffusive shock acceleration, 439
77 direct electric field, 397
78 discovery of solar relativistic particles, 168
79 distribution functions, 328
80 electron-proton asymmetry, 387, 403, 413
81 dependence on strength of guide field,
82 389
83 electrons
84 by Alfvén waves, 380
85 high efficiency, 237
86 timescales, 359
87 extended flare, 204
88 Fermi
89 first order, 376, 378, 383
90 in shrinking islands, 409, 429
91 second order, 376
92 from thermal plasma, 115
93 γ -ray diagnostics, 168
94 in chromosphere, 380
95 in current sheets, 386
96 fan and spine geometry, 391
97 illustration, 389, 390
98 multiple, 395
99 in Dreicer field, 368
100 in MHD turbulence, 359, 377, 398, 400
test-particle experiments, 398
in PIC approach, 408
list of mechanisms, 160, 368
low-energy cutoff, 25, 81, 85
models, 368
multiple current sheets
issues, 400
particle-in-cell (PIC), 402
limitations, 411
pre-acceleration of ions, 377
pre-flare phase, 367
proton
need for pre-acceleration, 377
SEPs, 37, 76, 86, 142, 145, 160, 268, 424,
438
shock, 155, 215, 375, 439
quasi-parallel, 375
quasi-perpendicular, 376
“seed” particles, 375
termination, 384
shock-drift, 378, 384
electrons, 384
illustration, 385
relativistic, 257
similarities of shock and turbulent
mechanisms, 377
sources of electric field, 368
stochastic, 65, 146, 148, 154, 216, 376,
377, 379, 413
ad hoc waves, 378
spectrum not a power law, 377
limitations of models, 379, 400, 414
MHD turbulence, 412
multiple current sheets, 396, 413
net electrical current, 379
parameter dependence, 378
radio observations, 240
resonant cascade, 377
stochastic current sheets, 399
test-particle approach, 6, 359, 378
limitations, 401, 414
transit-time damping, 146, 376, 379, 413
two-stage, 138, 148
acceleration region, 137, 145, 155, 156, 159,
342
above-the-loop-top source, 242
and polarization, 350
and SHH pattern, 148
and SHS pattern, 160
bulk acceleration, 379
charge separation, 412
distinguished from energy-loss region,
108, 109, 157, 192, 217, 218

- 101 electrons, 428
102 escape from, 129, 154, 174, 358
103 extended, 136
104 height, 109, 158
105 replenishment, 363
106 return current, 7, 109
107 separatrix structure, 156
108 spectral cutoff, 120
109 test-particle approach, 6, 359, 401
110 turbulence, 178, 378, 380
111 ACRIM, 82
112 active regions
113 and flare occurrence, 21
114 as source of background radiation, 270
115 association with major flares, 267
116 association with microflares, 269
117 illustration, 269
118 fractal structure, 397
119 high Alfvén speed, 227, 380
120 non-flaring X-ray emission, 278
121 simple structures, 265
122 slow reconnection, 437
123 active-region transient brightenings (ARTBs),
124 267
125 identification with microflares, 270
126 illustration, 287
127 adiabatic compression, 59
128 adiabatic invariants, 233
129 *Advanced Composition Explorer (ACE)*, 83
130 albedo, 122, 131, 142, 157, 286, 303, 304,
131 306, 309, 312, 313, 319, 320, 326,
132 332, 333, 335, 349, 361, 362, 421,
133 424
134 and low-energy cutoff, 119
135 correction, 285, 326
136 illustration, 285
137 dip in spectrum, 119, 287
138 Green's function approach, 310
139 illustration, 310
140 halo component, 313
141 imaging, 312, 316
142 low-energy cutoff, 122
143 microflare spectra, 285
144 spatial-frequency signature, 313
145 spectroscopy, 309, 310
146 use of visibilities, 314
147 Alfvén speed, 372, 429
148 and downflows, 30
149 and electron thermal speed, 381
150 and injection, 377
and reconnection, 429, 431, 435
and termination shock, 383
gradient in chromosphere, 381
in the impulsive phase, 380
middle corona, 76
variation with height
illustration, 76
Ampère's Law, 7, 126
anisotropy
electron, 303, 329, 333, 334
X-ray, 329, 332
arcade, 22, 29, 30, 38, 45, 46, 51, 70, 433
and γ -ray images, 421
growth, 70
illumination, 22, 28, 43
magnetic structure, 72
microwave free-free emission, 247
non-thermal radiation, 247
particle drifts, 433
atmospheric models
"spicular extended chromosphere", 131
and 511-keV line shape, 187
chromospheric density, 178
FAL, 131
hydrostatic, 132
semi-empirical, 131
VAL, 131
aurora, 431
- B**
backwarming, 56, 58
Balmer- α
impact polarization, 87
Bayesian approach, 23
beams, 241, 252, 337, 363
 α -particle, 202
and type III bursts, 252, 253
and waves, 8
area, 8
at photosphere, 55
broad angular distribution, 192
downgoing, 194
radio detectability, 254
electric field, 379
electron-proton asymmetry, 403
induced fields, 126
induced magnetic field, 7
propagation, 123
proton, 56, 57
radio/HXR correlation, 254
return current, 7, 202
self-inductance, 7

- 151 super-Alfvénic, 122
- 152 un-neutralized, 157
- 153 vs. conduction fronts, 43
- 154 betatron radiation, 227
- 155 big-flare syndrome, 40, 267
- 156 microflares, 291
- 157 bounced particles, 387, 403
- 158 bound-bound emission, 78, 303
- 159 bound-free absorption
- 160 illustration, 311
- 161 bremsstrahlung, 6, 108, 285, 303
- 162 > 300 keV, correlation with γ -rays, 198
- 163 and densities inferred from radio, 246
- 163 Bethe-Heitler cross-section, 113, 114, 228,
- 164 305
- 165 competition with π^0 decay, 204
- 166 cross-section, 110
- 167 efficiency, 8
- 168 efficiency decrease with frequency, 248
- 169 electron-electron, 229, 303, 308, 317, 324,
- 170 360
- 171 electron-ion, 304, 306, 308, 317
- 172 from charged pion decay, 203
- 173 γ -ray continuum, 170
- 174 Haug cross-section, 322
- 175 independence of γ -ray line emission, 199
- 176 Kramers approximation, 8, 113, 114, 304
- 177 multithermal, 360
- 178 nonthermal, 317, 360
- 179 NRBH, 113
- 180 software, 115
- 181 sources displaced from 2.223-MeV
- 182 sources, 214
- 183 thermal, 317, 327, 359
- 184 thick-target, 7, 150, 264, 362
- 185 thin target
- 186 type III burst, 256
- 187 thin-target, 70, 150, 229, 254
- 188 ultrarelativistic case, 229
- 189 brightness temperature, 230
- 190
- 191 **C**
- 192 Carrington, R. C., 4
- 192 cartoons, 87, 88
- 193 collapsing trap
- 194 illustration, 383
- 195 Giovanelli, 89
- 196 omissions, 90
- 197 Poynting-flux transport
- 198 illustration, 380
- 199 standard, 89, 383
- 200
- causality, 23
- caveats
 - acceleration in test-particle approach, 400
 - specific problems, 401
 - ambiguity of standard model, 257
 - emission-measure weighting, 279
 - energy scale for occurrence distribution,
 - 277
 - exceptional conditions in flares, 181
 - γ -ray imaging, 215
 - gaps in time series, 283
 - inverse theory for γ -rays, 196
 - limitation of test-particle approach, 378,
 - 387
 - limits of MHD approach, 374
 - line-of-sight effects, 245
 - low-energy cutoff, 119
 - MHD turbulent acceleration
 - list of problems, 400
 - nature of low-energy cutoff, 287
 - non-scalable properties, 267
 - particle energy content, 197
 - photospheric field extrapolation, 49, 83
 - RHESSI*
 - detector-to-detector calibration, 316
 - RHESSI* rotation axis, 270
 - spectral fits and background subtraction,
 - 317
- CCD, 35
- cellular automata, 284, 378, 396
- center-to-limb variation, 329, 332
- illustration, 332, 333
- charge exchange, 87
- Cherenkov resonance, 376
- Chianti, 77, 79, 80, 287, 318
- energetics, 84
- Fe/Fe-Ni ratio, 79
- chicane, 157
- chromosphere
 - flare-related flows, 26
- chromospheric condensation, 60
- chromospheric density model, 131
- and 511 keV line width, 187
- and hard X-ray imaging, 344
- and magnetic field, 171
- chromospheric evaporation, 25, 28, 58, 127,
- 130, 133, 135, 139, 158, 273
- conduction-driven, 38
- explosive, 59, 60
- illustration, 60
- gentle, 59, 61

- 201 illustration, 62
- 202 imaging, 62
- 203 temperature-dependent flows, 61
- 204 chromospheric heating, 59, 62
- 205 in flares, 60
- 206 collapsing magnetic trap, 47, 413, 441
- 207 collisions
 - 208 and column density, 304
 - 209 and polarization, 335
 - 210 and transport, 349
 - 211 energy losses, 123, 305
 - 212 particle energy losses, 108, 109, 111
- 213 column density, 111, 118, 123, 131, 152, 157
- 214 CoMP, 54, 86
- 215 *Compton Gamma Ray Observatory (CGRO)*,
 - 216 120, 137, 161
- 217 Compton scattering, 304, 361
 - 218 and attenuation of 2.223 MeV line, 176
 - 219 and coronal hard X-ray sources, 206
 - 220 Be-scatterer, 336
 - 221 cross-section, 304
 - 222 inverse, 304
 - 223 photospheric, 309, 316, 326
- 224 conduction
 - 225 thermal, 28
- 226 conduction fronts, 61, 130
- 227 confidence strip, 324
- 228 conjugacy, 38, 71
- 229 continuum
 - 230 Balmer, 55, 56
 - 231 cyclotron maser, 367
 - 232 fast-mode waves, 377
 - 233 γ -ray bremsstrahlung, 170
 - 234 γ -ray broad-line component, 170
 - 235 γ -ray pseudo-continuum, 85, 202
 - 236 γ -ray quasi-continuum, 192
 - 237 H^- , 55
 - 238 hard X-ray, 363
 - 239 non-thermal electron, 81
 - 240 Paschen, 55
 - 241 π^0 -decay, 168, 203
 - 242 positronium, 180, 317
 - 243 soft X-ray, 77
 - 244 three-photon, 186
 - 245 two-photon, 77
- 246 convective-diffusive equation, 146
- 247 cooling
 - 248 and energy estimates, 84
 - 249 and shrinkage, 71
 - 250 conductive, 28, 29, 138, 139, 360
 - 251 delay, 139
 - 252 equilibrium, 80
 - 253 parameter dependence, 29
 - 254 radiative, 29, 84, 138
- 255 coronal dimmings, 73
- 256 coronal heating
 - 257 and reconnection, 88
 - 258 chromospheric, 59
 - 259 in flare-like events, 20
 - 260 nanoflares, 264
- 261 coronal mass ejections (CMEs), 5, 23, 26, 73,
 - 262 122, 159, 267
 - 263 abundances, 439
 - 264 acceleration, 74
 - 265 acceleration and flare energy release, 73
 - 266 and coronal sources, 68
 - 267 and flares, 5
 - 268 and microflares, 267
 - 269 and SEP energy
 - 270 illustration, 86
 - 271 and soft-hard-harder pattern, 268, 440
 - 272 backside, 440
 - 273 energy content, 5
 - 274 energy partition, 84
 - 275 illustration, 70
 - 276 SOL2002-08-24T01:12 (X3.1), 245
 - 277 velocity field, 84
- 278 coronal seismology, 93
- 279 coronal sources, 62, 68, 149, 173, 238, 240,
 - 280 242, 335, 340, 341, 343, 350, 358,
 - 281 365, 367, 393, 429
- 282 contraction, 70, 441
- 283 current-sheet morphology, 89
- 284 double, 66
- 285 γ -rays, 203, 211
- 286 hard X-ray footprints, 70
- 287 HXR and decimetric, 367
- 288 inverse Compton radiation, 206, 218
- 289 radial elongation, 256
- 290 spectrum, 343
- 291 table of parameters, 432
- 292 thick-target
 - 293 illustration, 63
- 294 coronal thick target, 62, 65
- 295 microwave imaging, 65
- 296 coronal transients, 5
- 297 *CORONAS-F*, 336
- 298 cosmic rays
 - 299 ground-level events, 168, 422
 - 300 shock acceleration, 375
 - 301 solar, 37
 - 302 supernova shock waves, 439

- 251 Coulomb collisions, 264
252 Coulomb logarithm
253 electron-electron collisions, 111
254 electron-hydrogen collisions, 123
255 Cowling T. G., 89
256 Crab Nebula, 10
257 cross-sections
258 Bethe-Heitler, 113, 305
259 Compton scattering, 304
260 Haug, 322
261 heavy nuclei, 209
262 Kramers approximation, 113, 306
263 illustration, 114
264 Ne inelastic scattering, 190
265 neutron evaporation, 209
266 NRBH, 113
267 comparison with Kramers, 114
268 comparison with relativistic, 115
269 illustration, 114
269 proton capture below 1 MeV, 201
270 thresholds, 174, 184
271 CSHKP, 29, 30, 43, 46, 65, 66, 428
272 current closure, 7
273 current sheets, 89, 159, 359, 372, 429
274 3-D, 378, 387
275 and CMEs, 440
276 and Hall reconnection, 440
277 and magnetic islands, 429
278 and particle acceleration, 371, 386
279 and proton Larmor radius, 375
280 collapsing trap, 413
281 definition, 6
282 electric fields, 372
283 fan plane, 391
284 geomagnetic tail, 435
285 instability, 407
286 non-neutral, 373, 374
287 illustration, 371
288 observed in flares, 408
289 outflows, 382
290 physical conditions, 372
291 PIC simulations, 402
292 stochastic, 399
293 strong guide field, 389
294 X-ray observations, 65
295 current systems, 7
296 inductive time scale, 7
297 **D**
298 de Hoffmann-Teller frame, 384
299 debates
300 thermal-nonthermal, 5
- density
pre-flare, 242
dentist's mirror, 333
difference images, 73
differential emission measure, 138, 327
diffusion coefficient
angular, 376
energy, 376
diffusion region, 369, 374
dimming, 73, 75
dipolarization, 27, 31, 90
directivity
hard X-ray, 361
X-rays, 333
distribution functions
bump-on-tail, 392
flare occurrence, 20
purely nonthermal, 441
distributions
log-normal, 279
power law, 295
skew-Laplace, 295
Weibull, 279, 295
double counting, 82
double layer, 130
downflows, 30, 57
coronal rain, 29
evaporative, 61
high temperature, 62
soft X-rays, 135
supra-arcade, 27, 30, 66, 92
Dreicer field, 368, 373, 397
drift speed
strong drift regime, 392
Dungey, J. W., 89
- E**
earthquakes, 281
EIT waves, 75
electric fields, 120
advective, 411
inadequacy as a driver, 411
and beam deceleration, 127
and particle acceleration, 359
and particle segregation, 433
and reconnection rate, 53
and soft-hard-soft pattern, 147
convective, 28, 53, 425, 437
DC, 148
double layers, 130
Dreicer, 368

- 301 Hall, 401
- 302 in current sheets, 372
- 303 induced by particles, 366, 379
- 304 large-scale, 368
- 305 MHD current-sheet assumption, 374
- 306 parallel, 54, 429, 437
- 307 PIC simulations
- 308 induced polarization field, 405
- 309 turbulent, 406
- 310 polarization, 388, 401, 414
- 311 induced by asymmetric acceleration,
- 312 405
- 313 problem of origin in simulations, 411
- 314 reconnection
- 315 convective, 372
- 316 return current, 126, 411
- 317 inadequacy as a driver, 411
- 318 self-field, 109, 126
- 319 self-induced, 126, 127
- 320 sub-Dreicer, 359
- 321 super-Dreicer, 359, 395
- 322 turbulent, 401
- 322 electrodynamic feedback, 379
- 323 electron beams
- 324 and induced fields, 126
- 325 and polarization, 334
- 326 and return current, 379
- 327 and two-stream instability, 401
- 328 and type III bursts, 367
- 329 high-energy return current, 412
- 330 inadequacy of model, 241
- 331 inductive fields, 401
- 332 electrons
- 333 accelerated
- 334 associated current, 363
- 335 density, 363
- 336 energy content, 109, 363
- 337 flux, 363
- 338 in microflares, 275
- 339 number, 363
- 340 acceleration from thermal plasma, 145
- 341 adiabatic invariants, 233
- 342 angular distribution, 328
- 343 anisotropy, 233, 303, 329, 333, 334
- 344 beam energy transport, 8
- 345 beams, 291, 292
- 346 evidence for, 328
- 347 collision losses, 52, 68, 117, 361
- 348 directivity, 316, 334
- 349 distribution function, 302
- 350 and turbulence, 129
- beam, 109
- bump-on-tail, 406
- density, 114, 126, 146
- flux, 112
- flux density, 110
- high-energy cutoff, 115, 148, 323
- loss-cone, 233
- low-energy cutoff, 109, 115, 116, 127,
- 139
- Maxwellian, 368
- mean electron distribution, 361
- mean electron flux, 112, 113, 118, 122,
- 129, 151
- nonthermal, 242
- purely nonthermal, 242, 441
- total flux, 115
- total power, 115, 120, 158
- dominant tail population, 68, 70, 237, 241,
- 379, 441
- energy distribution, 302, 318
- high-energy cutoff, 323
- spectral break, 324
- energy flux density, 127
- escape, 145
- energy-dependent, 154
- escape time, 146
- flux spectrum, 303, 305
- low-energy cutoff, 303
- spectral break, 319, 323
- high-energy cutoff, 114
- injected distribution, 305, 322, 363
- mean electron flux, 112
- mean flux spectrum, 303
- mean source spectrum, 324
- mildly relativistic, 308, 367
- nonthermal, 285, 317–319, 325, 327, 334,
- 337
- early impulsive events, 286
- number problem, 4, 362
- pitch-angle distribution, 129, 233, 328
- radio/HXR spectral mismatch, 235
- relativistic, 155, 179, 240, 308
- correlation with 2.223 MeV γ -rays,
- 198
- energy content, 197
- source spectrum, 341
- spectra
- HXR/radio comparison, 231, 236, 239,
- 241, 242, 250
- spectrum
- low-energy cutoff, 287, 424
- selection effects, 285

- 351 super-Alfvénic beams, 122
352 time-of-flight (TOF) analysis, 137
353 total energy, 4, 292, 364
354 transport, 146, 149
355 visibilities, 344
356 emission measure, 84
357 and Neupert effect, 291
358 by *GOES* class, 21
359 correlation with temperature
360 broad parameter ranges, 289
361 *GOES*, 289
362 illustration, 288
363 *RHESSI*, 289
364 definition, 84
365 differential, 80, 138
366 continuum emission, 327
367 model, 139
368 non-thermal, 91
369 radio and SXR, 59
370 energetic neutral atoms, 87, 202, 442
371 equations of motion, 387, 399
372 relativistic, 387
373 equivalent width, 77, 78
374 eras
375 pre-*RHESSI*, 142
376 *RHESSI*, 19, 33, 82, 167, 184, 217
377 *SkyLab*, 5, 49
378 *SMM*, 217
379 *Yohkoh*, 44
379 experimental bias
380 DEM weighting, 288
381
382 **F**
383 fables
384 blind man and elephant, 73
385 Fe lines, 67, 76, 77, 318
386 equivalent width, 77
387 and *RHESSI* attenuator state, 78
388 in microflare spectra, 273
389 low ionization states, 77
390 filaments, 23
391 activation, 23
392 current systems, 423
393 eruptive, 238, 242, 358
394 filling factor, 84, 85
395 distribution functions, 292
396 hard X-rays, 127
397 radio/HXR comparison, 242
398 surface magnetic field, 242
399 first ionization potential (FIP) effect, 183
400 flare (individual)
SOL1859-09-01T11:18 (pre-*GOES*), 54,
267, 422
SOL1969-03-30T02:47 (pre-*GOES*), 68
SOL1969-10-20T10:50 (C9.0)
polarization, 336
SOL1969-10-23T05:15 (pre-*GOES*)
polarization, 336
SOL1969-10-30T09:30 (M7.3)
polarization, 336
SOL1970-10-24T05:41 (M6.4)
polarization, 336
SOL1970-11-05T03:21 (X2.3)
polarization, 336
SOL1972-08-04 (pre-*GOES*), 168
 γ -ray discovery, 168
energetics, 82
illustration, 169
SOL1972-08-04T06:25, 4
SOL1973-02-05 (pre-*GOES*)
energetics, 82
SOL1974-07-05T21:52 (pre-*GOES*)
X-ray polarization, 336
SOL1974-07-06T18:56 (pre-*GOES*)
X-ray polarization, 336
SOL1978-07-11T10:54 (X3), 168
SOL1979-11-09T03:20 (M9), 168
SOL1980-03-29T09:18 (M1), 41
SOL1980-04-07T01:07 (M4)
imaging spectroscopy, 338
SOL1980-04-10T09:23 (M4)
coronal sources, 340
imaging spectroscopy, 338, 340
SOL1980-05-21T20:50 (X1)
imaging spectroscopy, 340
SOL1980-06-07T03:22 (M7.3)
modeling, 179, 424
SOL1980-06-21T02:00 (X2.6)
 π^0 continuum, 204
neutron-decay electrons, 210
neutrons, 169, 207, 210
SOL1980-06-27T16:17 (M6.7)
low-energy cutoff, 120
SOL1980-08-31T12:49 (M2.8)
energetics, 83
SOL1980-11-15T15:53 (X1)
imaging spectroscopy, 340
SOL1981-04-27T09:45 (X5.5)
abundances, 183, 202
 γ -ray spectrum, 438
illustration, 202

- 401 modeling, 179
402 total ion energy, 196
403 SOL1981-05-13T06:10 (X1.5)
404 imaging spectroscopy, 340
405 SOL1981-07-20T14:41 (M5.5)
406 imaging spectroscopy, 340
407 SOL1982-02-22T04:44 (M2.7)
408 imaging spectroscopy, 340
409 SOL1982-06-03T13:26 (X8.0)
410 π^0 continuum, 204
411 neutron detection, 207
412 neutrons, 169, 207, 210
413 SOL1984-04-25T01:40 (X13)
414 neutrons, 210
415 SOL1989-03-06T13:56 (X15)
416 gamma-ray spectrum, 250
417 SOL1990-05-24T21:45 (X9.3)
418 neutron detection, 207
419 neutrons, 207, 210
420 SOL1990-06-11T09:43 (M4.5)
421 gamma-ray spectrum, 250
422 radio emission, 250
423 SOL1991-03-22T22:45 (X9.4)
424 neutron detection, 207
425 SOL1991-06-01T16:14 (X12)
426 neutrons, 203
427 solar energetic particles, 203
428 total ion energy, 195
429 SOL1991-06-04T03:37 (X12.0), 170
430 abundance variations, 183
431 illustration, 171
432 neutron detection, 207
433 total ion energy, 195
434 SOL1991-06-06T01:12 (X12.0)
435 neutron detection, 207
436 SOL1991-06-09T04:24 (X10.0) (X10.0)
437 neutron detection, 208
438 SOL1991-06-15T11:17 (X12.0)
439 neutron detection, 208
440 SOL1992-01-13T17:25 (M2.0), 42
441 above-the-looptop source, 110, 358
442 coronal hard X-ray source, 441
443 famous, 240
444 table of parameters, 432
445 time scales, 431
446 SOL1999-03-18T08:31 (M3.3)
447 illustration, 28
448 SOL2000-07-14T10:24 (X5.7), 45
449 ribbons in, 414
450 SOL2000-11-24T15:13 (X2.3)
neutron detection, 208
SOL2001-04-10T05:26 (X2.3)
illustration, 28, 43
SOL2001-08-25T16:45 (X5.3), 50
illustration, 50, 58
radio emission, 237
white light, 51
SOL2001-10-19T01:05 (X1.6)
illustration, 22
SOL2002-02-20T09:59 (M4.3)
albedo patch, 314
illustration, 314, 315
SOL2002-02-20T11:07 (C7.5)
chromospheric density structure, 131,
132
coronal hard X-ray source, 150
coronal source, 149
coronal source vs. footpoint spectra,
154
electron energy spectrum, 322
footpoint heights, 341
footpoint differences, 150
footpoints, 346
illustration, 254
imaging spectroscopy, 341, 346
nonuniform ionization, 125
spectroscopic images, 346
type III bursts, 254
visibilities, 346
SOL2002-02-20T21:07 (M2.4)
illustration, 314, 315
SOL2002-02-26T10:27 (C9.6)
electron energy spectrum, 322, 323
energetics, 83
high energy cutoff, 323
illustration, 314, 315, 361
multi-thermal time delays, 141
SOL2002-03-14T01:44 (M5.7)
footpoint motion, 46
SOL2002-03-17T19:31 (M4.0)
electron energy spectrum, 322
illustration, 314, 315
nonuniform ionization, 125
SOL2002-03-18T19:18 (C8.9)
albedo patch, 314
illustration, 314, 315
SOL2002-03-25T20:08 (C9.8)
albedo patch, 314
illustration, 315
SOL2002-04-15T00:15 (M3.7)
coronal thick target, 65
illustration, 63
shrinking loops, 70

- 451 SOL2002-04-15T03:55 (M1.2)
452 electron energy flux, 159
453 low-energy cutoff, 121
454 spectral fits, 121
455 SOL2002-04-17T00:40 (C9.9)
456 illustration, 314, 315
457 SOL2002-04-21T01:51 (X1.5)
458 γ -ray upper limits, 85
459 CME energetics, 84
460 energetics, 82, 83
461 illustration, 70, 248
462 radio observations, 247
463 SEPs, 86
464 thermal plasma, 84
465 SOL2002-04-25T06:02 (C2.5)
466 albedo, 325
467 SOL2002-04-30T08:22 (M1.3)
468 current sheet, 66
469 illustration, 65, 66
470 SOL2002-05-06T09:01 (A8.0)
471 illustration, 273
472 SOL2002-05-31T00:16 (M2.4)
473 Fe feature, 78
474 illustration, 80
475 nonuniform ionization, 125
476 SOL2002-06-01T03:58 (M1.5)
477 nonuniform ionization, 125
478 SOL2002-06-02T20:44 (M1.0)
479 albedo, 319
480 electron spectrum, 319
481 forward fit, 319
482 illustration, 319
483 low-energy cutoff, 319
484 spectral break, 319
485 SOL2002-07-15T11:55 (C9.1), 61
486 SOL2002-07-17T07:13 (M8.5)
487 *TRACE*, 40
488 illustration, 40
489 SOL2002-07-19T14:30 (<B2)
490 illustration, 255
491 SOL2002-07-23T00:35 (X4.8), 10
492 γ -ray imaging, 214, 216, 433
493 ^3He abundance, 184
494 2.2 MeV time profile, 184
495 511 keV line, 186
496 abundance variations, 183
497 and ion pitch-angle distribution, 194
498 bimodal DEM distribution, 80
499 CME energetics, 84
500 coronal hard X-ray source, 149, 438
cross-disciplinary analysis, 11
electron energy spectrum, 317, 322,
323
electron-to-proton ratio, 199
energetics, 82, 83
energy in non-thermal electrons, 119
Fe line complex, 67
flare-related changes, 367
footpoint differences, 151, 365
footpoints, 343, 427
forward fit, 317
 γ -ray imaging, 212
 γ -ray line shifts, 192
 γ -ray spectrum, 191
 γ -rays, 188, 366
hard X-ray precursor, 67, 425
hard X-rays, 365
illustration, 180, 186, 188, 189, 191,
195, 213, 234, 236, 317, 340, 342,
365, 423, 426
imaging spectroscopy, 341
ion energy content, 197
ion primary spectrum, 190
line shapes, 188
magnetic containment, 67
modeling, 179
nonuniform ionization, 124, 125
photon spectrum, 317
pre-impulsive phase, 426, 438
pulse pileup, 322
radio observations, 235
radio properties, 235
reconnection, 441
ribbons in, 414
SEPs, 86
soft X-ray line emissions, 79
source motions, 441
spectroscopic images, 342
superhot component, 67, 426
temperature distribution, 328
thermal energetics, 84
time delays, 363
X-ray polarization, 337, 340
SOL2002-08-06T12:59 (C7.9)
electron energy spectrum, 322
SOL2002-08-20T08:25 (M3.4)
albedo, 325, 326, 334
anisotropy, 334
electron energy spectrum, 326
electron spectra, 334
illustration, 326, 334
low-energy cutoff, 325, 326, 362
low-energy cutoff & albedo, 119

- 501 SOL2002-08-21T01:41 (M1.4) γ -ray line shifts, 192
502 anisotropic distribution, 331 γ -ray spectrum, 190
503 temperature distribution, 328 γ -rays, 184
504 SOL2002-08-24T01:12 (X3.1) gamma-rays, 366
505 illustration, 245, 247 illustration, 155, 156, 186, 187, 189,
506 radio observations, 245–247 193, 194, 196, 204, 213, 257, 340,
507 SOL2002-09-09T17:52 (M2.1) 362
508 footpoint motions, 47 *INTEGRAL* observations, 193
509 SOL2002-09-17T05:54 (C2.0) ion energy content, 197
510 albedo, 325, 326 ion primary spectrum, 190
511 electron energy spectrum, 326 radio dynamic spectrum, 257
512 illustration, 326 radio emission, 155
513 low-energy cutoff, 325, 326 submillimeter emission, 205, 250
514 SOL2002-09-29T06:39 (M2.6), 56 termination shock, 257, 384, 386
515 SOL2002-09-30T01:50 (M2.1) TSI detection, 82, 293, 426
516 illustration, 52 X-ray polarization, 337, 340
517 white light, 51 SOL2003-10-29T20:49 (X10.0), 23, 52, 54
518 SOL2002-10-04T05:38 (M4.0), 27 γ -ray imaging, 212, 214
519 SOL2002-11-02T06:07 (C3.9) acceleration, 425
520 current sheet, 66 egression power, 57
521 SOL2002-11-09T13:23 (M4.9) footpoint differences, 152
522 footpoint convergence, 46 footpoint motion, 47
523 footpoint motion, 46 illustration, 53, 54, 57, 213, 428
524 illustration, 46, 143 X-ray polarization, 336
525 spectral evolution, 143 SOL2003-11-02T17:25 (X8.3)
526 SOL2002-11-28T04:37 (C1.0) γ -ray imaging, 212, 214
527 illustration, 135 511 keV line, 186
528 X-ray source motion, 133, 135, 136 511 keV line width, 187
529 SOL2003-04-24T15:53 (C8.2) γ -ray line shifts, 192
530 current sheet, 66 illustration, 186, 189, 213, 340
531 SOL2003-04-26T03:06 (M2.1), 78 ion energy content, 197
532 illustration, 78 ion primary spectrum, 190
533 SOL2003-06-10T14:36 (M2.2), 60 X-ray polarization, 340
534 SOL2003-06-17T22:55 (M6.8) SOL2003-11-03T09:55 (X3.9), 23
535 coronal hard X-rays, 238 abundance variations, 183
536 illustration, 237, 239 current sheet, 66
537 radio emission, 237, 238 γ -ray line shifts, 192
538 radio properties, 237 illustration, 71, 72
539 SOL2003-10-22T20:07 (M9.9) quasi-periodic pulsations, 243
540 above-the-loop-top source, 431 submillimeter emission, 206
541 table of parameters, 432 temperature distribution, 328
542 SOL2003-10-24T02:54 (M7.6) SOL2003-11-04T19:53 (X17.4), 23
543 coronal source vs. footpoint spectra, γ -ray spectrum, 190
544 154 γ -rays, 189
545 spectral evolution, 153 illustration, 189
546 SOL2003-10-28T11:10 (X17.2), 362 *INTEGRAL* observations, 194
547 γ -ray imaging, 212, 214, 216, 433 most energetic event, 267
548 511 keV line, 186 SOL2003-11-13T05:01 (M1.6)
549 and ion pitch-angle distribution, 194 density profiles, 135
550 broad 511 keV line, 186 evaporation, 62
 γ -ray fluences, 200 illustration, 63, 133, 135

- 551 increasing density, 135
552 Neupert effect, 139
553 source locations vs. photon energy, 133
554 X-ray brightness profiles, 134
555 X-ray source motion, 133
556 SOL2003-11-18T08:31 (M3.9)
557 flux transfer, 54
558 illustration, 56
559 SOL2004-01-06T06:29 (M5.8)
560 chromospheric density & magnetic
561 structure, 132
562 footpoint sizes, 344
563 visibilities, 344
564 SOL2004-11-01T03:22 (M1.1)
565 footpoint motions, 47
566 illustration, 48
567 SOL2004-11-03T03:35 (M1.6)
568 hard-soft-hard, 142
569 SOL2004-11-10T02:13 (X2.5)
570 illustration, 340
571 X-ray polarization, 340
572 SOL2005-01-17T09:52 (X3.8), 50
573 CME, 73
574 electron energy spectrum, 324
575 electron-electron bremsstrahlung, 324
576 illustration, 30, 51, 74, 324, 340
577 photon spectrum, 324
578 X-ray polarization, 340
579 SOL2005-01-19T08:22 (X1.3)
580 high low-energy cutoffs, 122
581 illustration, 70, 339, 340
582 quasi-periodic oscillations, 122
583 soft-hard-harder, 122
584 X-ray polarization, 339, 340
585 SOL2005-01-20T07:01 (X7.1)
586 γ -ray imaging, 212, 214–216
587 511 keV line, 186
588 coronal hard X-ray source, 68
589 illustration, 68, 204, 213, 340
590 inverse Compton emission, 206
591 ion primary spectrum, 190
592 π^0 continuum, 204
593 X-ray polarization, 340
594 SOL2005-05-13T16:57 (M8.0), 45
595 hard X-ray ribbons, 54
596 illustration, 45
597 SOL2005-07-13T14:49 (M5.0), 366
598 coronal hard X-ray source, 150, 151
599 illustration, 365
600 SOL2005-07-27T05:02 (M3.7)
radio observations, 242
- SOL2005-08-25T04:40 (M6.4)
illustration, 340
X-ray polarization, 340
SOL2005-09-07T09:52 (X17.0)
 γ -ray spectrum, 190
 γ -rays, 189
illustration, 189
INTEGRAL observations, 194
neutron detection, 208
SOL2006-07-06T08:36 (M2.5)
CME, 73
SOL2006-11-06T08:32 (B1)
illustration, 271
SOL2006-11-06T22:40 (A1)
illustration, 271
SOL2006-11-06T22:43 (A3)
illustration, 271
SOL2006-12-05T10:35 (X9)
energetic neutral atoms, 38
SOL2006-12-06T18:47 (X6.5)
illustration, 75, 249
submillimeter emission, 249, 251
SOL2007-12-14T14:16 (C1.1)
blueshifts, 61
SOL2007-12-31T01:11 (C8.3)
above-the-loop-top source, 441
coronal hard X-ray source, 429
illustration, 74, 241, 430
microwave imaging, 429
radio observations, 240
table of parameters, 432
- flare classification, 20, 266
 $H\alpha$, 21, 269
table, 21, 267
flare energetics, 82
flare frequency distributions, 264, 279, 291
active-region dependence, 281
and natural limits, 291
and Poisson distribution, 284
background corrections, 279
biases, 280
break energy, 286
durations, 282
illustration, 266
microflare comparison, 293
multivariate analysis, 282
nanoflare range, 293
nanoflares
inconsistency, 293
nonthermal, 293
observational range, 265

- 601 observations of power laws
602 table, 279
603 observed parameters
604 compared with derived, 279
605 normalized to specific photon energy,
606 279
607 sensitivity limit, 279
608 physical range, 265
609 stellar flares, 281
610 temporal confusion, 279
611 total power, 265
612 why a power law? 284
613 X-rays, 279
614 flare kernels, 43
615 $H\alpha$, 340
616 illustration, 48
617 on iso-Gauss contours, 50
618 UV, 44
619 white light, 57
619 flare models
620 analogy with aurora, 431, 435
621 and cartoons, 88
622 and polarization, 337
623 and X-ray observations, 159
624 auroral, 431
625 avalanche, 282, 295
626 breakout, 358
627 casualties, 6
628 cellular automaton, 284, 378, 395, 396,
629 399
630 illustration, 396, 397
631 PIC simulation, 398
632 collisional thick target, 6
633 collisional transport, 349
634 and directivity, 334
635 CSHKP, 6, 29, 30, 43, 46, 65, 66, 428
636 electron beam, 5, 337
637 Gold & Hoyle, 6
638 inadequacy of beams, 241
639 magnetic mirror, 52
640 multi-strand, 29, 140
641 neutral-point theory, 434
642 observational constraints, 87
643 Poynting flux
644 illustration, 380
645 predictive power, 88
646 radiation hydrodynamic, 41, 59
647 reconnection, 369
648 self-organized criticality (SOC), 264, 282
649 slip-running reconnection, 46, 50
650 standard, 6, 87, 89, 159, 428
illustration, 382
summary, 87
thermal
and polarization, 335
thick-target, 87, 292, 338, 360, 366, 379,
398, 428
and HXR source height, 341
and polarization, 334
thin-target, 366
trap-plus-precipitation, 172, 178, 179, 181,
216, 233
wave energy transport, 8, 380
flare types
“electron-dominated”, 198, 199, 250
early impulsive, 122, 128, 135, 136, 159,
286
filament eruption, 21
long-decay events (LDEs), 24
long-duration, 25, 68, 70, 80
loop flares, 244
spotless, 21
two-ribbon, 139, 238, 340, 414
white light, 38, 40, 54
energy, 292
illustration, 27, 51
flares
and acceleration, 358
and CMEs, 5, 73
and coronal dimming, 73
and relativistic particles, 168
and SEPs, 73
association with CMEs
illustration, 268
bolometric measurements, 82
Carrington, 4, 54, 267
classification, 20, 266
 $H\alpha$, 21
table, 21, 267
CMEless, 92
coronal manifestations, 27
energetics, 82
double counting, 82
table, 83
energy content, 5
accelerated electrons, 85
accelerated ions, 85
accelerated particles, 362
CME, 84
distributed coronal release, 248
magnetic, 20, 22, 27, 49, 72, 83
overall, 83

- 651 partition, 82
652 solar energetic particles, 86
653 thermal plasma, 84
654 energy release and CME dynamics, 73
655 energy storage, 23, 88
656 GOES classification, 20
657 H α , 269
658 hard X-ray precursor, 26, 67
659 HXR morphology
660 weighting by **B**, 244
661 impulsive phase, 26
662 Masuda, 42, 63, 240, 429, 432
663 microwave/HXR morphology, 244
664 loops, 244
665 model, 159
666 naming convention, 4
667 negative, 59
668 overview
669 illustration, 22
670 phases, 24
671 pre-flare coronal density, 65
672 pre-flare filament motions, 23
673 pre-flare phase, 26
674 precursor events, 26
675 scale invariance, 281
676 stellar
677 occurrence distributions, 281
678 “super flares”, 281
679 total irradiance, 55
680 white light, 40, 55
681 X-ray fluences, 280
682 flux emergence, 27
683 flux transfer, 40
684 Fokker-Planck equation, 127, 152, 154, 376
685 footpoints, 5, 38, 42, 46, 341–343, 346, 348,
686 350, 358
687 γ -rays, 40
688 Alfvén-wave transport, 380
689 altitude of sources, 131
690 and TRACE diffraction patterns, 40
691 and collapsing traps, 413
692 and coronal sources, 149
693 and H α ribbons, 50
694 and loop legs, 133
695 illustration, 133
696 and reconnection rate, 53
697 and simultaneous coronal sources, 365
698 and UV ribbons, 53
699 apparent motions
700 illustration, 46
asymmetry, 51, 152
and microwaves, 52
statistics, 52
converging motions, 46, 71
 γ -rays, 212
gyrosynchrotron emission, 227
hard X-rays, 109
height structure, 132, 133
heights, 341
HXR and H α , 423
microflares, 273
HXR, 273
illustration, 273, 274
microwave emission, 275
model requirements, 52
motions, 45, 382
generation of turbulence, 399
non-thermal emission measure, 91
nonthermal electron density, 237
occultation, 68, 81
parallel motions, 46
separation correlated with HXRs, 71
simultaneity, 5, 151, 380
sizes, 341
spectral equality, 365
spectral similarity, 151
spectrum, 342
stationary hot component, 59
vs. ribbons, 27
white light, 38
forward fit, 317
FOXSI, 442
Fraunhofer lines
G band, 33
H α , 23, 129
impact polarization, 87
H β , 35, 129
Ni I 6758 Å, 34
free energy, 20
free-bound emission, 55, 56, 77, 158, 303
illustration, 307
Kramers approximation, 306
non-thermal, 81, 87, 306, 317
thermal, 77
free-free emission, 6, 77, 108, 234, 303, 304
microwaves, 234
optically thick, 234
frequency
collision, 360, 378
and runaway, 368
cyclotron, 231
flare occurrence, 329

- 701 Larmor, 22, 31, 129, 230, 240, 376, 405
702 harmonics, 248
703 ion, 431
704 proton, 146
705 microwave peak, 231, 235, 441
706 illustration, 236
707 occurrence, 264
708 plasma, 31, 32, 129, 251, 377, 379, 401
709 plasma fundamental and harmonic, 367
710 spatial, 313, 346, 399
711 electron visibilities, 346
712 halo source, 313
713 illustration, 314
714 starting, 76
715 termination shock, 257
716 turbulence, 413
717 frequency synthesis, 32
718 frozen-in field, 369, 372, 425
719 FWHM, 131, 423
720
721 **G**
722 γ -rays
723 near-simultaneity with HXRs, 363
724 gamma-rays
725 Π^0 -decay, 203
726 0.847 MeV ^{56}Fe line, 200
727 1.238 MeV ^{56}Fe line, 200
728 1.634 MeV ^{20}Ne line, 175
729 2.223 MeV line, 175
730 absence of Doppler-broadening, 211
731 and >300 keV fluences, 197
732 Compton scattering, 176
733 deuterium formation, 171
734 effective primary energies, 177
735 imaging, 211
736 intrinsic width, 190
737 limb darkening, 198, 211
738 prediction, 168
739 4.438 MeV ^{12}C line, 175
740 511 keV line, 185
741 as radioactive decay product, 200
742 factors determining shape, 186
743 formation conditions, 184, 186
744 illustration, 186
745 line width, 186
746 6.129 MeV ^{16}O line, 175
747 67-MeV “bump” from π^0 decay, 203
748 abundance determinations, 181
749 and seismic waves, 57
750 and white-light flares, 56
751 broad lines, 170, 202, 364
752 continuum, 303
753 correlation with hard X-rays, 178, 179,
754 199, 216, 363, 364
755 de-excitation lines, 191, 194, 200–202
756 fluences, 178
757 mean widths, 192
758 deexcitation lines, 364
759 delayed emission, 9
760 6.92 keV Co $K\alpha$, 200
761 deuterium formation, 184
762 deuterium formation (2.223 MeV), 9
763 electron distribution common to submm
764 band, 248
765 energy dependence of excitation, 189
766 footpoint sources, 212
767 γ -ray continuum
768 π^0 -decay, 168
769 γ -ray lines
770 neutron capture, 168
771 nuclear de-excitation, 168
772 positron annihilation, 168
773 **GRB**
774 polarization, 338
775 image properties contrasted with HXR
776 images, 212
777 imaging, 210, 216, 366, 377
778 and asymmetric footpoints, 216
779 continuum, 215
780 event summary, 214
781 in 511 keV line, 215
782 visibilities, 212
783 inelastic scattering
784 ion numbers, 190
785 recoil redshifts detected, 188
786 less sensitive than mm waves, 249
787 lightcurves, 363
788 limitations of imaging, 215
789 line shifts, 192
790 list of strong de-excitation lines, 170
791 long-lived radioisotopes, 199
792 narrow lines, 364
793 narrow-line component, 170
794 non-detection in impulsive events, 438
795 nuclear de-excitation, 9
796 nuclear line radiation, 303, 324, 337
797 π^0 -decay, 204
798 and submillimeter emission, 205
799 in microflares, 267
800 positron annihilation (511 keV), 9
801 redshifts, 192
802 sources displaced from bremsstrahlung
803 sources, 214

- 751 statistical significance, 183
752 synchronism with hard X-rays, 179, 363
753 tilted fields, 188
754 and Doppler shifts, 189
755 time-resolved spectra, 183
756 timing relative to hard X-rays, 179
757 unresolved continuum, 170, 202
758 unresolved feature at 1.02 MeV, 191
759 variability relative to relativistic
760 bremsstrahlung, 199
761 GeDs, 423
762 GEM challenge, 434
763 geomagnetic tail, 435
764 Giovanelli, R. G., 4, 89
765 global waves, 74
766 and X-ray dimming, 75
767 EIT, 75
768 Moreton, 75
769 seismic, 41, 57
770 and backwarming, 57
771 and Lorentz force, 57
772 and shock waves, 57
773 type II radio burst, 68, 74
774 *GOES*, 128, 135, 138, 143
775 and radio fluxes, 234
776 classification, 266
777 energetics, 84
778 illustration, 265
779 *SXI*, 71
780 *GOES* classification, 20, 364
781 gradual phase, 21, 28, 142, 145
782 in microflares, 290
783 radio
784 illustration, 246
785 Green's functions, 310, 424
786 GRIPS, 442
787 ground-level events, 37, 168
788 Gutenberg-Richter law, 281
789 gyrosynchrotron emission, 10
790 definition, 226
791 efficiency increase with frequency, 249
792 illustration, 22
793 microflares, 244, 275
794 rarity in network flares, 278
795 Razin suppression, 243
796
797 **H**
798 Hadamard, J., 320
799 Hale Cycle 24, 4
800 Hanle effect, 54
hard X-rays, 108
above-the-looptop source, 110, 149, 240,
358
albedo, 119, 122, 157, 303, 304, 309, 310,
312, 313, 319, 320, 326, 333, 335,
349, 361, 412
and decimeter emission, 251
and decimetric spikes, 252
and EUV, 40
and pion production, 204
and polarity inversion line, 46
and radio emission, 366
and reverse-drift type III bursts, 253
and type III bursts, 253, 256, 275
and UV ribbons
illustration, 40
and white light, 40
anisotropy, 329, 332
break energies, 324
chicane, 157
conjugacy, 38
coronal sources, 25, 62, 149, 150, 152,
154, 161, 238, 240, 335, 340, 341,
343, 350, 361, 393
correlation with footpoint sources, 365
pivot point, 413
soft-hard-soft, 379, 413
spectral evolution, 152
thick-target, 152
Yohkoh, 152
coronal thick target, 62, 65
microwaves, 65
correlation with EUV, 139
definition, 36
directivity, 328, 329, 332–334, 361
dynamic range, 429
emitted power, 7
energy dispersion, 137
filling factor, 127
flux saturation, 128, 280
flux spectrum, 303
observed, 311
primary, 311
footpoint sources, 40, 109, 113, 122, 131,
150, 365
in gradual events, 70
footpoints, 27, 38, 341–343, 346, 348, 350
gradual emission, 359
gradual events, 25
halo component, 313, 314
hard-soft-hard, 142
height dependence, 131, 132, 158
illustration, 135

- 801 height dispersion, 109, 133
802 high-energy cutoff, 323
803 identified with flare kernels, 43
804 imaging, 377
805 imaging spectroscopy, 37, 338
806 inefficiency of, 8
807 inverse Compton radiation, 158
808 inverse Compton scattering, 304
809 lightcurves and spectra, 359
810 loops, 133
811 looptop sources, 358
812 microflares, 273
813 multi-wavelength context, 21
814 near-simultaneity with γ -rays, 363
815 need for sensitive observations, 92
816 non-focusing optics, 37
817 occulted, 152, 161
818 optical depth, 304
819 overlap with radio diagnostics, 226
820 polarization, 161, 302, 328, 334–337
821 quiet Sun, 278
822 and nanoflares, 278
823 illustration, 278
824 radio emission
825 type III/HXR correlation, 254
826 relation between footpoint and coronal
827 sources, 149
828 *RHESSI*
829 microflare observations, 265
830 ribbon-like structures, 45
831 ribbons, 45, 54, 425
832 short time scales, 24, 41
833 simple power-law continuum
834 approximation, 318
835 soft-hard-harder, 68–70, 76, 122, 142, 145,
836 160, 440
837 soft-hard-soft, 24, 68, 110, 125, 142, 143,
838 152, 160, 285, 360, 413, 440
839 source centroids, 132
840 source sizes, 136
841 sources uncorrelated with UV/EUV, 44
842 spectra
843 and pulse pileup, 322
844 footpoints, 365
845 footpoints vs. coronal sources, 366
846 pivot point, 379
847 soft-hard-soft, 285
848 spectral break, 127
849 spectral evolution, 128, 142, 158
850 interpretation, 145
soft-hard-harder, 122
spectral flattening, 126, 127
illustration, 127
spectral index, 110, 113, 114, 142, 150,
342, 343, 348
spectral interpretation, 122
spectral parametrization, 142
spectrum
double power law, 360
thermal interpretation, 360
thermal models
polarization degree, 335
thick-target, 109, 111–114, 122, 150, 156,
228
thin-target, 111, 113, 114, 149, 161, 229,
361
time delays, 109, 137, 159, 161
time-of-flight analysis, 42
timing relative to γ -rays, 178, 179, 199,
216
visibility, 314–316, 344, 346, 347
He II 304Å
Doppler shift, 202
Hinotori, 120
rotating modulation collimator, 340
Solar X-ray Telescope (SXT), 340
HXIS, 269
I
image dynamic range, 160, 244
radio vs. HXR, 244
imaging
 γ -ray, 215
microflares, 269
imaging algorithms
back-projection, 313, 315, 341
CLEAN, 341
maximum entropy, 315, 341
MEM-NJIT, 315
Pixons, 341
visibility forward fit, 315
imaging spectroscopy, 37, 38, 149, 160, 338,
341
electrons, 346
forward fit, 344
improvements, 442
multi-band, 442
neutrons, 207
pulse pileup, 342
visibility, 344
impact polarization, 129
impulsive phase, 21, 26, 48, 142
radio type III bursts, 254

- 851 *in situ*
852 comparisons with remote sensing, 37, 89
853 *INTEGRAL*, 155
854 integral equations
855 Fredholm-type, 327
856 ill-posed nature of, 327
857 Volterra-type, 327
858 intensity
859 photon, 302
860 interplanetary coronal mass ejections
861 (ICMEs), 38, 75
862 inverse Compton radiation, 158, 218, 226, 304
863 inverse problem, 320, 334
864 and microflare hard X-ray spectra, 286
865 constraints, 320
866 for γ -ray observations, 193
867 limitations, 196
868 for X-ray spectra, 118
869 forward fit, 303, 317, 320, 362
870 ill-posedness, 320, 321, 327
871 Landweber method, 321
872 microflare imaging, 274
873 regularized inversion, 303, 320
874 validation, 321
875 Tikhonov regularization, 331, 346
876 inversion algorithms, 325
877 Landweber method, 328
878 Tikhonov regularization, 321, 322, 334,
879 346
880 first-order, 321, 322
881 zero-order, 321, 322
882 variable binning, 322
883 ion-neutral coupling, 382
884 ionization equilibrium, 77
885 uncertainties, 80
886 ionization state, 77, 109, 157, 287
887 coronal signature, 439
888 γ -ray line shape, 186
889 nonuniform distribution, 122
890 particle energy loss rate, 111, 123
891 ions
892 acceleration
893 in flares, 433
894 α particles, 191
895 α/p ratio, 174, 191, 192, 194, 195
896 distribution functions, 182, 364
897 energy content, 197, 201
898 energy distributions, 189
899 α particles, 183
900 energy range for γ -ray production, 175
901 γ -ray production, 168
902 interaction in warm medium, 196
903 neutron production
904 (p,p) reaction, 208
905 nuclear reactions
906 (α, α), 171, 188, 194, 195
907 (α, n), 176
908 evaporation, 206
909 fusion, 171, 194
910 $p(p, n\pi^+X)p'$, 184
911 spallation, 179, 181, 200
912 number problem, 364
913 pitch-angle distributions, 173, 192, 194
914 pitch-angle scattering, 172
915 model, 172
916 secondary neutron production, 168
917 shock acceleration, 215
918 spectrum, 174
919 total energy, 194, 195, 364
920 dependence on spectral distribution,
921 364
922 transport time scales, 363
923 ubiquity? 217
924 velocity dispersion, 172
925 isothermal spectrum
926 improbability of, 360
- J**
927 jerks, 57
928 jets, 414
929 and loop brightenings, 277
930 reconnection
931 geotail, 435
932 reconnection outflow, 159, 378, 384, 393
933 illustration, 382, 409
934 recurring, 276
935 X-ray, 244, 276, 277, 438
- K**
936 key questions, 424
- L**
937 Langmuir waves, 129, 406
938 Laplace transform
939 thermal bremsstrahlung emission, 327
940 literature citation, 3
941 illustration, 4
942 “local” spectral index, 360
943 loop prominence systems, 6
944 loops
945 converging field, 174
946 γ -ray image structure, 212
947 $H\alpha$ footpoints in microflares, 273

Space Sci Rev

- 901 hard X-rays, 133
- 902 time-dependent structure, 133
- 903 in microflares, 273
- 904 ion transport models, 171
- 905 and time development, 177
- 906 illustration, 173
- 907 legs, 133
- 908 microflare
- 909 lengths, 274
- 910 mirror ratio, 181
- 911 particle acceleration, 216
- 912 tilted, 188
- 913 trapping, 178
- 914 looptop sources, 27, 52, 59, 62, 65, 69–71,
- 915 159, 358
- 916 downward motions, 71
- 917 impulsive phase, 24
- 918 microwaves, 233
- 919 thick target, 63
- 920 loss of equilibrium, 284
- 921 low-energy cutoff, 25, 67, 81, 87, 109, 115,
- 922 116, 120, 122, 127, 139, 286, 303,
- 923 309, 318, 319, 322, 325, 326, 362,
- 924 364, 379, 424
- 925 above 100 keV, 122
- 926 and albedo, 362
- 927 and return current, 126
- 928 and time-of-flight analysis, 122
- 929 and warm target, 362
- 930 in microflare hard X-ray spectra, 286, 292
- 931 plateau, 117
- 932 sharp, 116
- 933 turnover, 117
- 934 Lumogen, 35
- 935 Lyman- α
- 936 Doppler shifts, 87, 202
- 937 need for observations, 92
- 938 **M**
- 939 magnetic charge topology, 49, 51
- 940 magnetic diffusion equation, 369
- 941 magnetic field, 30
- 942 and polarization orientation, 334
- 943 and return current, 126
- 944 chromospheric, 382
- 945 coronal, 33, 54
- 946 and plasma containment, 67, 85
- 947 energy storage, 27, 88
- 948 extrapolation, 88
- 949 worries about, 49
- 950 flare-related changes, 31, 41, 58, 367
- illustration, 57
- flux annihilation, 89
- force-free, 6
- free energy, 5, 20, 58, 88
- height dependence, 72, 240
- in chromosphere, 171
- in core of active region, 380
- induced by particles, 378
- inductive, 363
- time scale, 7
- jerk, 58
- measurement
- radio techniques, 31
- non-potential, 358
- observation, 367
- potential, 31
- scale height, 132
- shear distribution, 49
- ubiquity in corona, 227
- wave, 376
- XBP distribution, 277
- magnetic moment
- dimensionless, 392
- magnetic Reynolds number, 369
- magnetic storm, 75
- magnetic structures
- 2.5-D approximation, 53
- and coronal seismology, 93
- arcades, 139
- asymmetric footpoints, 342
- bald patch, 31
- below transition region, 172
- CME formation, 26
- collapsing trap, 378, 382, 383
- collapsing traps, 160
- complex, 395
- core fields, 88
- coronal current sheets, 89
- coronal trap, 70
- current sheet, 66
- and double coronal sources, 65
- cusps, 27, 110, 159, 246, 378
- illustration, 28
- δ spot, 22, 31
- dipolarization, 90
- energy storage, 27, 31
- extrapolations from photosphere
- caveats, 83
- magnetic charge topology, 49
- fan, 371, 391
- filamentation, 375

- 951 flux tubes, 132
952 footpoint connections, 342
953 force-free, 27
954 force-free arcade, 72
955 fractal dimension, 22, 397
956 γ -ray models, 171
957 Hall field, 435
958 hard X-ray and γ -ray sources, 365
959 helmet, 246, 371, 382
960 illustration, 23
961 implosion, 70, 71
962 inclination determined via γ -rays, 188
963 interacting loops, 372, 374
964 interpretation of γ -ray imaging, 216
965 islands, 408, 409, 414
966 and tearing mode, 379
967 coalescence, 437
968 Fermi acceleration, 429
969 illustration, 409
970 neutral points, 370
971 jets and open fields, 277
972 long polarity inversion lines, 22
973 loss cone, 130, 384
974 definition, 385
975 magnetotail, 435
976 microflare image morphology, 273
977 mirror geometry, 5, 233, 358, 371
978 and γ -ray production, 171
979 moving, 383, 384
980 Zweibel-Haber parametrization, 171
981 moss, 43
982 multi-strand loops, 29
983 multiple unstable current sheet, 396
984 need for coronal magnetography, 54
985 neutral line, 21, 31, 38, 367
986 illustration, 371
987 null, 48, 51, 371, 378, 391
988 change in aspect ratio, 389
989 illustration, 369, 409
990 O-type (elliptic), 370
991 potential, 391
992 X-type (hyperbolic), 370
993 overly simplistic models, 335
994 PIC simulation
995 magnetic null, 411
996 model size limits, 411
997 PIC simulation of magnetic islands
998 illustration, 408
999 polarity inversion line, 21, 45, 88
1000 quadrupolar configuration, 43
quasi-separatrix layers, 40
separator, 371
separatrices, 28, 40, 48, 49, 156, 371
 and flare ribbons, 49
 illustration, 49, 50
sheared arcade, 72
shrinkage, 70, 246
spine, 371, 391
strong gradients, 22
sunspots
 field topology, 28
three-dimensionality, 28
tilted loops
 γ -ray evidence for, 188, 192
trapping, 137
turbulent particle confinement, 65
twists
 and flare prediction, 22
 variable shear, 22
magnetic tension, 409
magnetic trapping, 137, 142, 146, 148, 152,
 153
magnetization, 130
 differential, 371, 375
magnetosphere, 380, 435
 reconnection rate, 437
 shocks, 376
 terrestrial, 75
Malmquist bias, 293
Mars, 437
mass ratio
 artificial value of, 411
master equation, 284
Masuda flare, 42, 63, 240, 429
 table, 432
mean electron flux, 112, 118, 122, 305,
 318–321, 325
 lack of electron beaming, 349
microflares, 78, 226, 269
 GOES B class, 11
 active-region association, 269
 albedo correction, 285
 and CMEs, 267
 and MeV electrons, 275
 and open field lines, 275
 and type III bursts, 256, 275
 association with magnetic neutral line, 270
energy distributions
 illustration, 287
energy estimates, 292

- 1001 event energies
1002 fluence determination, 280
1003 Fe line, 273
1004 gyrosynchrotron emission, 244, 275
1005 hard X-ray
1006 discovery, 266
1007 illustration, 275, 276
1008 imaging, 269
1009 jet association, 275
1010 microwave emission, 275
1011 non-thermal HXR, 273
1012 observational bias towards low activity,
1013 270
1014 radio emission, 274
1015 radio observations, 243
1016 sensitive detection of, 10
1017 solar-cycle dependence, 270
1018 steep hard X-ray spectra, 273
1019 thermal spectrum, 287
1020 thermal/nonthermal relationship, 290
1021 X-ray spectral parameters, 285
1022 models
1023 coronal electron density, 254
1024 non-LTE, 56
1025 radiation hydrodynamic, 44
1026 trap-plus-precipitation, 172, 178, 179, 181,
1027 233
1028 and γ -ray imaging, 216
1029 momentum balance, 61
1030 Moreton wave, 75
1031 moss, 43
1032 muon telescope, 207
1033 myths
1034 solar flare, 5
1035 **N**
1036 nanoflares, 264, 278
1037 and cellular automata, 284
1038 and coronal heating, 278
1039 energy range, 266
1040 EUV, 293
1041 Parker's hypothesis, 264
1042 problem of energy scale, 277
1043 selection effects, 293
1044 network flares, 278
1045 Neupert effect, 25, 59, 61, 122, 138, 139, 158,
1046 285, 291, 434
1047 and CME acceleration phase, 73
1048 illustration, 62
1049 in microflares, 290
1050 theoretical, 139
theory, 138
use in place of HXRs, 61
neutron emission, 87, 208
time-extended, 208
neutron monitors, 37, 169, 208
direct detection of solar neutrons, 207
global network, 207
neutron energy range, 207
neutron telescopes, 37, 207
neutron energy range, 207
neutrons, 37, 92, 206, 433
advantages of observing, 207, 210
detection in space, 210
detection via decay products, 210
deuterium line, 423
elastic-scattering detection, 207
energetic, 168
ground-level detection, 168, 207
half-life, 37, 206
imaging
illustration, 434
lack of limb dependence, 208
low energy, 210
MESSENGER detection, 210
multiple scatter detectors, 210
need for low-energy observations, 92
production by evaporation process, 209
production in (p,p) reactions, 208
production in flares, 169
Nobeyama radioheliograph, 275
non-isothermality, 80
non-potential energy, 23, 31
non-uniform ionization, 109, 122, 157, 327,
427
nonthermal electrons, 317
number problem, 4
O
observatories
Advanced Technology Solar Telescope
(ATST), 33
Big Bear, 34
Catania, 34
Dunn Solar Telescope, 33
Dutch Open Telescope, 33
El Leoncito, 32
European Solar Telescope (EST), 33
FASR, 32, 54
German Vacuum Tower Telescope, 33
GONG, 34
Green Bank, 32
Hida, 34

- 1051 Hiraiso, 32
1052 Holloman, 34
1053 Huairou, 34
1054 Jungfrauojoch, 169, 207
1055 Kanzelhöhe, 34
1056 Kharkov, 34
1057 KOSMA, 205
1058 Learmonth, 34
1059 LOFAR, 32
1060 MSFC, 34
1061 Mt. Norikura, 207
1062 Nançay Radioheliograph, 32, 254
1063 Nobeyama, 32, 65
1064 Nobeyama polarimeters (NoRP), 239
1065 Nobeyama Radio Heliograph (NoRH), 32,
65, 227, 243, 244, 275
1066 Owens Valley Solar Array (OVSA), 32,
227, 243, 244
1068 Phoenix-2, 32, 251
1069 Pic du Midi, 34
1070 Purple Mountain, 33, 34
1071 Multichannel Infrared Solar
Spectrograph (MISS), 33
1072 San Vito, 34
1073 Siberian Solar Radio Telescope (SSRT),
227
1075 Solar Submillimeter Telescope (SST), 249,
251
1077 SOLIS, 33, 34
1078 Swedish Solar Observatory, 33
1079 Themis, 34
1081 Tlemsdorf, 32, 257
1082 Very Large Array (VLA), 227, 244
1083 Yunnan, 34
1084 observing facilities, 31
1085 γ -rays, 36
1086 EUV, 35
1087 $H\alpha$, 34
1088 hard X-rays, 36
1089 infrared, 32
1090 magnetographs, 34
1091 neutrons, 37
1092 optical, 33
1093 particles and fields, 37
1094 radio, 32
1095 soft X-rays, 36
1096 solar energetic particles, 37
1097 ultraviolet, 35
1098 occulted sources, 68, 132, 160, 161, 240, 242,
252, 256, 285, 286, 429, 441
1099 exponential decay, 68
1100
 γ -rays, 203, 211
illustration, 68, 285, 287
impulsive phase, 68
Ohm's Law, 126
opacity minimum, 33, 41
optically-thin source, 302
OSO-7, 336
Owens Valley Solar Array (OVSA), 22
- P**
paradigms
flare acceleration of impulsive SEPs, 438
precipitation from corona, 232
radio dominance of coronal sources, 242
Parker's nanoflare mechanism, 264, 266
Parker, E. N., 89, 293, 369
particles
delayed, 438
energy spectra
low-energy cutoff, 303, 309, 319
inference of flux, 305
ultra-relativistic leptons, 250
Petschek, H. E., 89
photospheric albedo, 303, 304, 306, 309, 312,
313, 319, 320, 326, 332, 333, 335,
349
illustration, 312
pions
and submillimeter radiation, 205
illustration, 204
 γ -ray production, 168
pitch-angle diffusion, 375
pitch-angle distributions
and 2.223 MeV radiation, 183
pitch-angle scattering, 172, 178, 328, 378
and neutron production, 209
strong, 172, 173
weak at loop top, 246
plasma instabilities
anomalous Doppler resonance, 130
beam-plasma, 129
bump-on-tail, 41, 117, 129, 131, 251, 406
simulation, 129
cold-beam, 401
electron-cyclotron maser, 130, 367
gyrosynchrotron maser, 130
high beta, 65
in PIC simulations
list, 407
ion-acoustic, 130
Kelvin-Helmholtz, 370, 407

- 1101 kink, 370, 407
1102 loss-cone, 65, 69, 130
1103 and soft-hard-harder pattern, 65
1104 lower hybrid drift, 370, 407
1105 parametric, 381
1106 resistive, 370
1107 return-current, 129
1108 sausage, 370, 407
1109 tearing mode, 379, 407, 410, 414
1110 two-stream, 401
1111 various, 382
1112 Weibel, 130
1113 plasma turbulence, 26, 90, 129, 160, 178, 206,
1114 358, 400, 412, 414, 415
1115 polarization, 161, 302, 328, 334–337
1116 circular, 65, 243
1117 collisional impact, 202
1118 electric field, 388, 401
1119 gyrosynchrotron, 233
1120 $H\alpha$, 87, 129
1121 primary flux, 335
1122 *RHESSI* results, 350
1123 thermal source, 335
1124 positronium, 185, 317
1125 2γ and 3γ decay, 186
1126 formation by charge exchange, 186
1127 ortho- and para-, 185
1128 positrons, 184
1129 511-keV line width, 186
1130 difficulty of interpretation, 188
1131 effective ion energies, 184
1132 illustration, 185
1133 ion energies for production, 184
1134 positronium formation, 185
1135 thermalization, 185
1136 three-photon continuum, 186
1137 potential null, 391
1138 Poynting flux, 8, 380
1139 and reconnection, 54
1140 estimate from footpoint motions, 53
1141 pre-impulsive phase, 425, 438
1142 precipitation, 126, 172, 178, 179, 209, 233,
1143 337
1144 and abundance variations, 183
1145 precursor, 26
1146 hard X-ray, 67, 425
1147 neutron-decay, 210
1148 superhot, 67
1149 probability densities
1150 in cellular automata, 397
- probability distribution function, 264
problems
number, 4
prominence
eruptive, 382
proton events, 142, 145, 160
and soft-hard-harder, 145
protons
beams, 55
low energies, 201
neutron-decay, 207
pulse pileup, 119, 161, 211, 317, 322, 342
- ## Q
- quasi-periodic pulsations, 24, 243, 252
decimetric, 243
HXR and radio, 243
interpretation, 243
magnetoacoustic waves, 122
SOL2002-08-24T01:12 (X3.1), 245
quasi-separatrix structure, 40
quiet Sun, 277
absence of microflares, 269
- ## R
- radiation hydrodynamics, 59
and beam energy, 44
radiative cooling, 138
radiative loss function, 84
radio emissions, 110, 122, 155
association with hard X-rays, 367
decimetric spikes, 367
brightness temperature, 230
coherent, 251, 252, 367
and flare energy release, 367
electron cyclotron maser, 226, 251
high efficiency, 226
Langmuir waves, 251
plasma emission, 226, 251
coronal seismology, 243
decimeter, 251
decimetric spikes, 252, 367
and hard X-rays, 252
diagnostics
microwave peak frequency, 231
spectral index, 230
fiber burst, 156
gyrosynchrotron, 10, 108, 367
anisotropy, 233
electron energies, 227
harmonics, 227

- 1151 high harmonics, 240
- 1152 microflares, 274
- 1153 turnover frequency, 235
- 1154 high brightness temperature, 251
- 1155 incoherent, 226
 - 1156 and HXR, 226
 - 1157 gyrosynchrotron emission, 226
- 1158 loop flare SOL2002-08-24T01:12 (X3.1),
 - 1159 245
- 1160 microwave peak frequency
 - 1161 formula, 231
- 1162 microwaves, 10, 114
 - 1163 circular polarization, 65
 - 1164 difficulty of determining optical depth,
 - 1165 239
 - 1166 mm- and submm-wavelengths, 248
 - 1167 narrow-band spikes, 367
 - 1168 narrowband decimetric spikes, 252
 - 1169 need for imaging spectroscopy, 92
 - 1170 negative microwave bursts, 59
 - 1171 overlap with X-ray diagnostics, 226
 - 1172 plasma radiation, 386
 - 1173 pulsations, 367
 - 1174 rarity of loop geometry, 245
 - 1175 Razin suppression, 41
 - 1176 reverse drift
 - 1177 illustration, 253
 - 1178 spectrograms, 41
 - 1179 submillimeter, 205, 206
 - 1180 illustration, 204
 - 1181 synchrotron, 240
 - 1182 termination-shock signature, 384
 - 1183 thermal, 234
 - 1184 optical depth, 234
 - 1185 THz band, 248
 - 1186 transport effects, 233
 - 1187 type II bursts, 75, 155, 243
 - 1188 type III bursts, 24, 76, 245, 252, 253, 256,
 - 1189 268, 275
 - 1190 and hard X-rays, 253, 254, 256
 - 1191 and impulsive SEP events, 438
 - 1192 and jets, 277
 - 1193 association with CME, 255
 - 1194 EUV jets, 276
 - 1195 harmonic, 367
 - 1196 illustration, 254–256, 276
 - 1197 reverse drift, 253
 - 1198 reverse drift with HXR, 252
 - 1199 reverse slope, 252
 - 1200 waiting time distribution, 283
 - 1199 type III/HXR correlation, 253
 - 1200 type IV burst
 - 1201 stationary, 367
 - 1202 radioactivity, 199
 - 1203 and convection, 201
 - 1204 created by flares, 199
 - 1205 Rankine-Hugoniot relations, 386
 - 1206 Razin effect, 41, 243
 - 1207 reactions
 - 1208 charge-exchange, 87, 218, 442
 - 1209 and positronium, 186
 - 1210 fusion, 171
 - 1211 nuclear, 168
 - 1212 α/α , 194
 - 1213 and broad-line component, 170
 - 1214 codes, 202
 - 1215 depth distribution, 174
 - 1216 evaporation, 206
 - 1217 exothermic, 176
 - 1218 neutron-producing, 184
 - 1219 pion-producing, 184
 - 1220 spallation, 179
 - 1221 thresholds, 184
 - 1222 recombination radiation, 55, 56, 77
 - 1223 non-thermal, 306, 317
 - 1224 recombination radiation (non-thermal), 81,
 - 1225 158
 - 1226 reconnection, 5, 27, 122, 246, 276, 358, 369
 - 1227 2-D theory, 369
 - 1228 2-D vs. 3-D, 371
 - 1229 and electron beams, 252
 - 1230 and HXR footpoints, 50
 - 1231 and particle acceleration, 149, 369
 - 1232 and Poynting-flux transport, 382
 - 1233 and super-Alfvénic beams, 122
 - 1234 circumstantial evidence for, 29
 - 1235 convective electric field, 28
 - 1236 current sheet
 - 1237 number problem, 375
 - 1238 fan, 371, 390, 391
 - 1239 flux transfer, 40
 - 1240 flux transfer in ribbons, 53
 - 1241 footpoint motions, 45, 54
 - 1242 gradual phase, 28
 - 1243 Hall, 370, 371
 - 1244 at Mars, 437
 - 1245 energy release, 437
 - 1246 illustration, 436
 - 1247 laboratory experiments, 437
 - 1248 magnetospheric subsolar point, 435
 - 1249 magnetotail observations, 435
 - 1250 helmet-streamer geometry, 246

Space Sci Rev

- 1201 history, 89
 - 1202 ideal region, 392
 - 1203 illustration, 54
 - 1204 impulsive phase, 27
 - 1205 inflow, 89
 - 1206 *in-situ* observations, 434, 435, 437
 - 1207 interchange, 439
 - 1208 laboratory experiments, 437
 - 1209 microphysics vs global physics, 89
 - 1210 multiple current sheets, 375
 - 1211 multiple sites, 367
 - 1212 non-occurrence, 88
 - 1213 outflow, 66, 159, 257
 - 1214 *in situ* observations, 435
 - 1215 parallel electric fields, 437
 - 1216 Petschek, 6, 159, 370
 - 1217 rate correlated with acceleration, 159
 - 1218 slip-running, 46
 - 1218 slow, 370
 - 1219 spine, 371, 390, 391
 - 1220 spine and fan
 - test-particle acceleration, 393
 - 1222 standard flare model, 29, 30, 43, 46, 65, 66
 - 1223 Sweet-Parker, 6, 358, 369, 435
 - energy storage, 437
 - 1225 PIC, 409
 - 1226 termination shock, 155
 - 1227 two-fluid, 371
 - 1228 vs. annihilation, 89
 - 1229 relativistic equations of motion, 387
 - 1230 relaxation oscillator, 284
 - 1231 residuals
 - normalized, 317
 - 1232 resistivity, 130, 434
 - anomalous, 370, 382, 407
 - hybrid, 399
 - 1235 return current, 7, 109, 120, 126, 128, 146,
 - 152, 157, 160, 202, 363, 377, 412
 - and beam stability, 91, 129
 - and double layers, 130
 - and impact polarization, 129
 - and soft-hard-soft, 149
 - and spectral lines, 129
 - charge carrier, 130
 - electric field, 411
 - energy losses, 129, 137, 147, 155, 158
 - and low-energy cutoff, 131
 - instability, 129
 - 1247 *RHESSI*, 3, 21, 109, 167, 227, 264, 303, 358,
 - 423
 - 1248 and QPP, 24
 - 1250 annealing operations, 10
 - attenuating shutters, 78, 269
 - and deadtime, 291
 - and microflares, 269
 - Be-scatterer, 336, 337
 - collaborations, 10
 - configuration, 37
 - design and capabilities, 9
 - dynamic range, 160, 343
 - effective collecting area, 137
 - γ -ray imaging, 40
 - germanium detectors, 336, 337
 - HXR from quiet Sun, 278
 - imaging spectroscopy, 80, 149, 160, 338,
 - 341
 - launch date, 10
 - literature citation, 4
 - maximum entropy, 315
 - non-diagonal spectral response, 318
 - offpointing, 278
 - pulse pileup, 119, 322, 342
 - rotating modulation collimators (RMCs),
 - 313
 - modulation harmonics, 316
 - rotation axis and imaging, 270
 - spatial resolution, 109, 131
 - spectral response matrix, 79
 - spectral resolution, 131, 138, 160
 - spectroscopy, 309
 - subcollimators (SC), 315
 - visibilities, 314
 - visibilities, 212
- ribbons, 21, 42, 139, 238, 395
- and fans, 414
 - and footpoints, 27
 - and separatrices, 28
 - and shear, 40
 - early vs. gradual phase, 42
 - energy release rate, 51
 - EUV, 38
 - flux transfer, 53
 - illustration, 54
 - H α , 6, 28, 30, 38, 340
 - illustration, 43, 49
 - hard X-ray, 45, 425
 - illustration, 45
 - high current density, 49
 - illustration, 27, 40
 - motions, 40, 45
 - multiple, 87
 - physics, 38

- 1251 topology, 40
1252 *TRACE* EUV observations
1253 illustration, 43
1254 UV, 28, 38, 44
1255 rotating modulation collimator, 37, 214, 341,
1256 423
1257
1258 **S**
1259 satellites
1260 *ACE*, 37, 82, 83
1261 *CGRO*, 120, 137, 161, 170, 189, 191, 199,
1262 203, 204, 264, 269
1263 *BATSE*, 24, 25, 266
1264 *CORONAS-F*, 204, 205, 218, 336
1265 *RESIK*, 36
1266 Explorer series, 3
1267 *Fermi*, 218
1268 *GAMMA-1*, 170, 199
1269 *GOES*, 20, 22, 82, 128, 135, 138, 143, 199,
1270 265, 266, 269, 290, 364
1271 *SXI*, 74
1272 *GRANAT*, 170, 189, 199, 204, 235
1273 *PHEBUS*, 170, 360
1274 *SIGMA*, 170
1275 *WATCH*, 264
1276 *GSAT-2*
1277 *SOXS*, 81
1278 *HEAO-1*, 168
1279 *HEAO-3*, 168
1280 *Hinode*, 10, 33–35, 44, 276
1281 *EIS*, 59, 61
1282 *SOT*, 33, 58
1283 *SP*, 34
1284 *XRT*, 36, 62
1285 *Hinotori*, 5, 120, 170, 189, 340
1286 *ICE*, 264, 282
1287 *INTEGRAL*, 37, 155, 170, 184, 193
1288 *Intercosmos*, 335, 336
1289 *ISEE-3*, 179, 264, 282, 329
1290 *MESSENGER*, 210
1291 *OSO-3*, 264
1292 *OSO-5*, 62, 68
1293 *OSO-7*, 62, 168, 264, 336
1294 *POLAR*, 435
1295 *Prognoz-6*, 168
1296 *PVO*, 329
1297 *RHESSI*, 3, 33, 109, 170, 227, 264, 303,
1298 358, 423
1299 launch, 3, 170
1300 *SDO*, 10, 34, 35, 158
1301 *AIA*, 35
1302 *EVE*, 36
1303 *Skylab*, 3, 277
1304 *SMM*, 5, 120, 159, 170, 179, 182, 189,
1305 191, 199, 202, 204, 207, 264, 364
1306 *ACRIM*, 82
1307 *BCS*, 78
1308 *GRS*, 329, 364
1309 *HXIS*, 269, 338
1310 *HXRBS*, 25, 266, 290
1311 *SOHO*, 35, 37, 82, 83, 156, 159, 264, 277,
1312 365
1313 *CDS*, 59
1314 *EIT*, 46, 80
1315 *LASCO*, 74, 84, 156
1316 *MDI*, 33, 58
1317 *Solar Maximum Mission*, 5
1318 *Solar Orbiter*, 161
1319 *Solar Probe*, 161
1320 *SORCE*, 426
1321 *TIM*, 82, 294
1322 Space Shuttle *Columbia*, 336
1323 *STEREO*, 10, 35, 37, 87, 240
1324 *TD-1A*, 69
1325 *TRACE*, 23, 33, 35, 36, 38, 40, 139, 156,
1326 159, 244, 255, 264, 276, 277
1327 *Ulysses*, 37
1328 *Venera-13*, 329
1329 *WIND*, 37, 255, 435, 437
1330 *3DP*, 268
1331 illustration, 436
1332 *WAVES*, 276
1333 *Yohkoh*, 4, 5, 22, 24, 63, 149, 150, 152,
1334 170, 189, 199, 264, 269, 291, 341,
1335 358, 428, 429
1336 *BCS*, 36, 289
1337 *HXT*, 37, 269
1338 *SXT*, 36, 266, 287, 288, 291
1339 white-light observations, 33
1340 scale invariance, 281, 284
1341 scattering
1342 Compton, 176, 361
1343 in Fermi acceleration, 376
1344 inelastic, 40, 190
1345 neutron, 209
1346 neutrons, 206–208
1347 pitch-angle, 171, 172, 178, 179, 206, 209,
1348 232, 233, 246, 375, 377, 378
1349 ion recoil, 188
1350 ions, 172
1351 strong limit, 173
1352 radio emission, 252

- 1301 Thomson, 84
1302 self-organized critical state, 264, 282, 284,
1303 396, 414
1304 separatrixes, 28, 40, 48, 50, 371, 391
1305 illustration, 49, 50
1306 shocks
1307 and ENAs, 442
1308 and Moreton waves, 75
1309 and reconnection, 6, 358
1310 CME-driven, 75
1311 hydrodynamic, 58
1312 interplanetary, 75, 268
1313 electron acceleration, 108
1314 particle acceleration, 76, 86, 155, 375, 433
1315 and γ -rays, 215
1316 radiative damping, 57
1317 radio emission, 160
1318 slow mode, 159
1319 spectrogram signature, 75
1320 sunquake excitation, 57
1321 supernova, 439
1322 termination, 155, 159, 257, 359, 378, 383
1323 illustration, 257
1324 numerical simulation, 384
1325 type II radio burst, 74, 243
1326 simulations
1327 3-D MHD
1328 and cellular automata, 397
1329 Hall MHD, 435
1330 kinetic, 371
1331 MHD, 376
1332 as framework for test-particle
1333 acceleration, 399
1334 reconnection shocks, 384
1335 standard flare model, 382
1336 non-LTE radiative transfer, 56
1337 PIC, 371, 374, 375, 379, 390
1338 3-D current sheet, 402
1339 acceleration in magnetic islands, 408,
1340 429
1341 collapsing islands, 407
1342 effect of polarization electric field, 401
1343 energy spectra, 406
1344 illustration, 431
1345 limitations, 411
1346 low-density assumption, 403
1347 particle trajectories, 405
1348 small mass-ratio assumption, 403
1349 super-Alfvénic outflow jets, 409
1350 turbulent electric field, 406
radiation hydrodynamic, 26, 29
two-fluid, 381
skin depth, 403
Skylab, 3, 11, 35, 277
soft X-rays
and neutron emission, 208
and polarization, 336
continuum, 77
cooling
and time delays, 138
coronal sources, 159
double, 159
definition, 36
double coronal sources, 65, 89, 159
illustration, 66
downward motions, 135
emission lines, 36
emission measure, 79
Fe K-shell emission, 76
Fe lines, 78
gradual time profiles, 24
height dependence, 133, 134, 136
isothermal continuum approximation, 317
long-decay events (LDE), 24, 70, 80
moss, 43
multi-thermal modeling, 139, 140, 360
illustration, 139
Neupert effect
microflares, 285
parallel motions, 135
illustration, 135
ribbons, 21
spectral dominance, 325
spectroscopy, 76
summary of RHESSI results, 81
superhot component, 67
temperature coverage, 36
temperature distribution, 327
soft-hard-harder, 25, 68, 76, 440
soft-hard-soft, 24, 68, 125, 285, 413, 440
and proton events, 145
and trapping efficiency, 146
and turbulence, 148
in coronal sources, 379
SOHO, 156, 159
CDS, 60
MDI, 365
Solar and Heliospheric Observatory (SOHO),
83
solar cycles
cycle 24, 4
 γ -ray observations, 10, 170

- 1351 solar energetic particles (SEPs), 37, 76, 86,
1352 142, 145, 160, 268, 424, 438
1353 ³He-rich events, 202
1354 and flare energy, 433
1355 and microflares, 267
1356 and neutron monitors, 207
1357 associated with hard X-rays, 160
1358 delayed, 438
1359 gradual events, 268, 439
1360 HXR signature, 440
1361 impulsive events, 268, 438
1362 local neutron production, 210
1363 shock acceleration, 433
1364 total energy content, 86
1365 solar flare myth, 5
1366 *Solar Maximum Mission*, 120, 159
1367 Gamma-Ray Spectrometer, 9
1368 *Solar Orbiter*, 161
1369 *Solar Probe*, 161
1370 Space Shuttle *Columbia*
1371 polarimeter, 336
1372 space weather, 160, 439
1373 and extreme events, 5, 422
1374 specific ionization approximation, 56
1375 spectral break, 318–320, 323, 324
1376 spectral index, 348
1377 spectrum
1378 511 keV line, 186
1379 α particles, 196
1380 α -⁴He line
1381 illustration, 195
1382 broad γ -ray lines, 202
1383 electrons
1384 and efficiency of evaporation, 62
1385 low-energy cutoff, 318, 319, 325, 326
1386 nonthermal, 317, 325
1387 power-law, 325
1388 spectral break, 318–320, 324
1389 spectral index, 309
1390 thermal, 317
1391 flare
1392 broad-band nature of, 20
1393 γ -ray
1394 variability, 183
1395 γ -ray lines, 85
1396 γ -ray model, 179
1397 γ -ray pseudo-continuum, 85, 202
1398 γ -rays, 170, 171, 423
1399 gyrosynchrotron
1400 footpoints, 227
simplified formulae, 230
hard X-ray, 360
infrared, 32
ions, 174
low-energy cutoff, 319
microwave
illustration, 231
peak frequency, 231
neutral-pion decay, 203
neutron-decay products, 38
neutrons, 208
photons, 320
illustration, 317, 331
spectral index, 324, 332, 333
 π^0 -decay, 31
power-law, 114, 308
one component, 318
two-component, 320
SXR continuum
and emission lines, 67
SXR emission lines, 78
upwards breaks, 250
speed of light
artificial reduction in simulations, 411
standard model, 6, 45, 46, 440
2-D, 48
non-uniqueness, 257
stereoscopic observations, 38
HXRs, 68, 329
storm sudden commencement, 75
submillimeter emissions, 205
angular resolution limit, 251
atmospheric transmission, 249
illustration, 204
increase at high frequencies, 250
observatories, 32
relevance to γ -rays, 248
SUMER, 35
sunquakes, 57
and proton beams, 57
sunspots
and flare occurrence, 422
and flare ribbons, 50
illustration, 51
and free magnetic energy, 20
and history of X-ray astronomy, 227
and network field, 277
and seismic sources, 57
illustration, 57
and white-light emission
illustration, 27
connectivity, 28

- 1401 δ spots, 22, 31
1402 penumbral disappearance, 58
1403 umbral field, 31
1404 superhot component, 67, 242, 319, 425, 438,
1405 441
1406 supernovae, 439
1407 suprathermal populations, 90, 157, 241
1408 and charge-exchange reactions, 218
1409 and thick-target model, 109
1410 Sweet, P. A., 89, 369
1411 synchrotron emission, 232, 304
1412 contrasted with gyrosynchrotron emission,
1413 226
1414 γ -ray continuum, 203
1415 synchrotron energy losses, 203
1416 syndromes
1417 big-flare, 40, 267
1418 microflares, 291
1419 **T**
1420 temperature minimum, 56
1421 termination shock, 383
1422 and particle acceleration, 384
1423 illustration, 155
1424 radio evidence for, 257
1425 test-particle approach, 6
1426 limitations, 386, 387, 390, 400
1427 thermal conduction, 28, 138, 139, 158
1428 thermal-nonthermal debate, 5
1429 thick-target model, 38, 228, 319, 325, 334,
1430 360
1431 and spectral “dip”, 119
1432 collisional, 21, 61, 111
1433 description, 109
1434 filamentation, 127
1435 γ -rays, 174, 178, 195
1436 hard X-rays, 218
1437 height dependence, 135
1438 HXR/radio comparison, 242
1439 implications, 156
1440 need for return current, 126
1441 radio flux, 232
1442 standard, 109
1443 summary, 110
1444 variable ionization, 123
1445 warm target, 196, 197
1446 thin target, 110, 229
1447 and coronal sources, 431
1448 and free-bound emission, 307
1449 γ -rays, SOL1991-06-01T16:14, 203
1450 ions, 174, 203
neutron production, 203
Tikhonov regularization, 328
time-of-flight analysis, 42, 122, 137, 159, 360
Total Irradiance Monitor (TIM), 82
TRACE, 139, 156, 159
and DEM, 80
flare arcade in EUV
illustration, 28
flare UV kernels, 44
UV correlation with HXRs, 44
UV footpoints, 54
UV ribbons
illustration, 27
white light, 50
transit particles, 387, 403
transit-time damping, 146, 377
transition region, 35, 44, 123, 124, 133
511-keV line width, 187, 217
and evaporation, 60
non-hydrostatic, 132
transport
adiabatic invariants
pitch-angle distributions, 233
biases acceleration theory, 412
electrons, 146
in Alfvén waves, 428
ions, 171, 192, 363
and γ -ray imaging, 215
radioisotopes, 200
trapping, 172
and microwaves, 275
coronal, 70, 172
in turbulence, 146, 358
magnetic, 70, 109, 137, 160
models, 178
time scale, 137, 236
TSI, 82, 293, 426
tsunami, 57, 75
turbulence, 26, 129, 178, 240, 358
 p -model, 399
ad hoc, 379
and electron distribution function, 129
and trapping, 154
interplanetary medium, 206
MHD, 148, 359, 377, 380
perpendicular cascade, 382
particle acceleration, 146
plasma wave, 377
U
(u,v)-plane, 32, 346
upflows, 29, 59, 61, 62

- 1451 and beam heating, 61
1452 and radio dynamic spectra, 252
1453 EUV, 26
1454 explosive, 60
1455 height limit, 59
1456 SXR, 26
1457 temperature dependence, 61
1458
1459 **V**
1460 vacancy factor, 307
1461 visibilities, 131, 291, 344
1462 and electron flux maps, 132
1463 count, 344
1464 electron, 314–316, 344, 346
1465 relative, 212
1466 X-ray, 344, 346, 347
1467 illustration, 314
1468
1469 **W**
1470 waiting-time distribution, 282, 283
1471 time-varying Poisson occurrence, 283
1472 type III bursts, 283
1473 warm target, 197, 362
1474 wave-particle interactions, 69, 233, 439
1475 waves
1476 Alfvén
1477 and energy transport, 428
1478 and magnetic reconnection, 382
1479 illustration, 380
1480 reflection at chromosphere, 381
1481 Alfvén mode, 380
1482 energy transport, 41, 57, 58
1483 fast-mode
1484 broad-band, 377
1485 growth rate, 378
1486 ion-acoustic, 130, 381
1487 Langmuir, 251, 406
1488 *in situ* detection, 439
1489 magneto-acoustic, 370
1490 and particle acceleration, 376
1491 MHD modes, 243
1492
1493
1494
1495
1496
1497
1498
1499
1500
plasma, 129
quasi-periodic pulsations, 24
sausage mode, 24
seismic, 41
and γ -rays, 57
whistlers, 156, 371, 408
white-light flares, 51, 54, 56, 422
and HXR, 292
big-flare syndrome, 267
emission patches, 266
energy input, 51
illustration, 52
sub-arcsecond structure, 44
type I, 55
type II, 55
workshops
RHESSI, 3, 6
theory team, 6
Skylab, 4, 5
X
X-ray bright points (XBP), 277
and basal coronal emission, 277
and jets, 277
and surface convective flows, 277
footpoints, 277
hard X-rays, 277
loops, 277
spatial distribution, 277
XUV spectral range, 36
Y
Yohkoh, 110, 149, 150, 152, 325
Hard X-ray Telescope (HXT), 5
HXT, 325, 341, 428
in bibliography, 4
Soft X-ray Telescope (SXT), 269, 287
Z
Zeeman effect, 30, 188
infrared, 54